

BOA-22863

Note: Graphic overlays may not precisely align with physical features on the ground

Aerial Photo Date: February 2018



4.1

BOARD OF ADJUSTMENT CASE REPORT

STR: 8326 Case Number: **BOA-22863**

CZM: 57

CD: 8

HEARING DATE: 03/10/2020 1:00 PM

APPLICANT: Zachary Perkins

ACTION REQUESTED: Verification of the 1,000 spacing requirement for a medical marijuana dispensary from another medical marijuana dispensary (Section 40.225-D)

LOCATION: 6528 East 101st Street S., Suite G and H

ZONED: CS, RM-1

PRESENT USE: Vacant

TRACT SIZE: 348442.22 SQ FT

LEGAL DESCRIPTION: LT 1 BLK 1, VILLAGE SOUTH

RELEVANT PREVIOUS ACTIONS:

Subject property:

BOA-22731; On 09.10.2019 the Board accepted a spacing verification on the Subject lot for a different tenant space. The applicants in both this case and the subject case are in the process of moving tenant spaces in this shopping center for their proposed dispensary.

STAFF COMMENTS: The applicant is requesting a **Verification** of the 1,000 spacing requirements for a medical marijuana dispensary from another medical marijuana dispensary (Section 40.225-D)

40.225-D A medical marijuana dispensary may not be located within 1,000 feet of another medical marijuana dispensary.

40.225-I The separation distance required under Section 40.225-D must be measured in a straight line between the nearest perimeter walls of the buildings (or portion of the building, in the case of a multiple-tenant building) occupied by the dispensaries. The separation required under Section 40.225-D shall not be applied to limit the location of a medical marijuana dispensary for which a license was issued by the Oklahoma State Department of Health prior to December 1, 2018 for the particular location.

The applicant provided the location of their dispensary and identified the location of the nearest dispensary as Lotus Gold Dispensary located 8010 E 106th Street, which approximately 5,012 feet away.

SAMPLE MOTION:

I move that based upon the facts in this matter as they presently exist, we **(accept/reject)** the applicant's verification of spacing to permit a medical marijuana dispensary subject to the action of the Board being void should another medical marijuana dispensary be established prior to the establishment of this medical marijuana dispensary.

4.2



Subject Tenant Space



Facing North from parking lot



Facing South from parking lot

CHUCK LANGE
ZONING OFFICIAL
PLANS EXAMINER

TEL (918)596-9688
clange@cityoftulsa.org



DEVELOPMENT SERVICES

175 EAST 2nd STREET, SUITE 450
TULSA, OKLAHOMA 74103

ZONING CLEARANCE PLAN REVIEW

LOD Number: 2
Phillip Summers
Suite 305 NY
Valhalla, NY 10595

January 3, 2020

Phone: 914.747.2344

APPLICATION NO: BLDC-048846-2019

(PLEASE REFERENCE THIS NUMBER WHEN CONTACTING OUR OFFICE)

Location: 6528 E 101 ST
Description: Medical Marijuana Dispensary

INFORMATION ABOUT SUBMITTING REVISIONS

OUR REVIEW HAS IDENTIFIED THE FOLLOWING CODE OMISSIONS OR DEFICIENCIES IN THE PROJECT APPLICATION FORMS, DRAWINGS, AND/OR SPECIFICATIONS. THE DOCUMENTS SHALL BE REVISED TO COMPLY WITH THE REFERENCED CODE SECTIONS.

REVISIONS NEED TO INCLUDE THE FOLLOWING:

1. A COPY OF THIS DEFICIENCY LETTER
2. A WRITTEN RESPONSE AS TO HOW EACH REVIEW COMMENT HAS BEEN RESOLVED
3. THE COMPLETED REVISED/ADDITIONAL PLANS FORM
4. BOARD OF ADJUSTMENT APPROVAL DOCUMENTS, IF RELEVANT

REVISIONS SHALL BE SUBMITTED DIRECTLY TO THE CITY OF TULSA PERMIT CENTER LOCATED AT 175 EAST 2nd STREET, SUITE 450, TULSA, OKLAHOMA 74103, PHONE (918) 596-9601. THE CITY OF TULSA WILL ASSESS A RESUBMITTAL FEE. DO NOT SUBMIT REVISIONS TO THE PLANS EXAMINERS.

SUBMITTALS FAXED / EMAILED TO PLANS EXAMINERS WILL NOT BE ACCEPTED.

IMPORTANT INFORMATION

1. IF A DESIGN PROFESSIONAL IS INVOLVED, HIS/HER LETTERS, SKETCHES, DRAWINGS, ETC. SHALL BEAR HIS/HER OKLAHOMA SEAL WITH SIGNATURE AND DATE.
2. SUBMIT TWO (2) SETS OF DRAWINGS IF SUBMITTED USING PAPER, OR SUBMIT ELECTRONIC REVISIONS IN "SUPPORTING DOCUMENTS", IF ORIGINALLY SUBMITTED ON-LINE, FOR REVISED OR ADDITIONAL PLANS. REVISIONS SHALL BE IDENTIFIED WITH CLOUDS AND REVISION MARKS.
3. INFORMATION ABOUT ZONING CODE, INDIAN NATION COUNCIL OF GOVERNMENT (INCOG), BOARD OF ADJUSTMENT (BOA), AND TULSA METROPOLITAN AREA PLANNING COMMISSION (TMAPC) IS AVAILABLE ONLINE AT WWW.INCOG.ORG OR AT INCOG OFFICES AT 2 W. 2nd ST., 8th FLOOR, TULSA, OK, 74103, PHONE (918) 584-7526.
4. A COPY OF A "RECORD SEARCH" **[X] IS [] IS NOT** INCLUDED WITH THIS LETTER. PLEASE PRESENT THE "RECORD SEARCH" ALONG WITH THIS LETTER TO INCOG STAFF AT TIME OF APPLYING FOR BOARD OF ADJUSTMENT ACTION AT INCOG. UPON APPROVAL BY THE BOARD OF ADJUSTMENT, INCOG STAFF WILL PROVIDE THE APPROVAL DOCUMENTS TO YOU FOR IMMEDIATE SUBMITTAL TO OUR OFFICE. (See revisions submittal procedure above.).

(continued)

REVIEW COMMENTS

SECTIONS REFERENCED BELOW ARE FROM THE CITY OF TULSA ZONING CODE TITLE 42 AND CAN BE VIEWED AT
WWW.CITYOFTULSA-BOA.ORG

BLDC-048846-2019

6528 E 101 ST

January 3, 2020

Note: As provided for in Section 70.130 you may request the Board of Adjustment (BOA) to grant a variance from the terms of the Zoning Code requirements identified in the letter of deficiency below. Please direct all questions concerning separation distance acceptance and all questions regarding BOA application forms and fees to the INCOG BOA Planner at 918-584-7526. It is your responsibility to submit to our office documentation of any decisions by the BOA affecting the status of your application so we may continue to process your application. INCOG does not act as your legal or responsible agent in submitting documents to the City of Tulsa on your behalf. Staff review comments may sometimes identify compliance methods as provided in the Tulsa Zoning Code. The permit applicant is responsible for exploring all or any options available to address the noncompliance and submit the selected compliance option for review. Staff review makes neither representation nor recommendation as to any optimal method of code solution for the project.

1. **Sec.40.225-D:** A medical marijuana dispensary may not be located within 1000 feet of another medical marijuana dispensary.

2. **Sec.40.225-H:** The separation distance required under *Sec.40.225-D* must be measured in a straight line between the nearest perimeter walls of the buildings (or portion of the building, in the case of a multiple-tenant building) occupied by the dispensary.

Review comment: Submit a copy of the BOA accepted separation distance of 1000' from other dispensaries. Please direct all questions concerning separation distance acceptance and all questions regarding BOA application forms and fees to the INCOG BOA Planner at 918-584-7526. The separation required under *Sec.40.225-D* shall not be applied to limit the location of a medical marijuana dispensary for which a license was issued by the Oklahoma Department of Health prior to December 1, 2018 for the particular location.

➤ **ACTION REQUIRED:** *Submit a copy of the BOA accepted separation distance of 1000' from other dispensaries. Please contact Board of Adjustment staff for assistance with the spacing verification. The phone number is 918-584-7526.*

Note: All references are to the City of Tulsa Zoning Code. Link to Zoning Code:

<http://www.tmapc.org/Documents/TulsaZoningCode.pdf>


Please notify the reviewer via email when your revisions have been submitted

This letter of deficiencies covers Zoning plan review items only. You may receive additional letters from other disciplines such as Building or Water/Sewer/Drainage for items not addressed in this letter.

A hard copy of this letter is available upon request by the applicant.

END – ZONING CODE REVIEW

NOTE: THIS CONSTITUTES A PLAN REVIEW TO DATE IN RESPONSE TO THE SUBMITTED INFORMATION ASSOCIATED WITH THE ABOVE REFERENCED APPLICATION. ADDITIONAL ISSUES MAY DEVELOP WHEN THE REVIEW CONTINUES UPON RECEIPT OF ADDITIONAL INFORMATION REQUESTED IN THIS LETTER OR UPON ADDITIONAL SUBMITTAL FROM THE APPLICANT.



BOA-22863

Note: Graphic overlays may not precisely align with physical features on the ground

Aerial Photo Date: February 2018



4.7

KEEP OUR OFFICE ADVISED OF ANY ACTION BY THE CITY OF TULSA BOARD OF ADJUSTMENT OR TULSA METROPOLITAN AREA PLANNING COMMISSION AFFECTING THE STATUS OF YOUR APPLICATION FOR A ZONING CLEARANCE PERMIT.



4.9

**THIS PAGE
INTENTIONALLY
LEFT BLANK**