

DATE: August 12, 2021
TO: Paul Zachary, Engineering Services Department Director
FROM: Henry Som de Cerff, Design Manager *HAS*
SUBJECT: City of Tulsa Access Management Standard No. 711
Approved by committee: October 13, 2020

The Specification Review Committee recommends and asks the Engineering Services Department Director to approve the following:

1. City of Tulsa Access Management Standard No. 711.

Please call me at (918) 596-7355 if you have any questions.

Thank you.

APPROVED:




Paul Zachary, Director

08.26.21

Date

Cc: Engineering Services Department Specification Review Committee



ARTERIAL SPACING TABLE

TYPE	X	Y	RIGHT OF CENTERLINE (A)	LEFT OF CENTERLINE (B)
PARKWAY / SCENIC DRIVE	300'	150'		
PRIMARY ARTERIAL	240'	120'	70'	60'
SECONDARY ARTERIAL	200'	100'	58'	50'
URBAN ARTERIAL	140'	70'	40'	40'

NOTE: X AND Y DIMENSION IS MEASURED FROM THE PROPOSED MAJOR STREET AND HIGHWAY PLAN (MSHP) RIGHT-OF-WAY LINE TO THE LIMITS OF ACCESS (LA). FOR THOSE PARCELS THAT DO NOT HAVE A DEFINED LA, MEASURE TO THE EDGE OF THE DRIVEWAY.

REVISION	BY	DATE

CITY OF TULSA ACCESS MANAGEMENT	
CITY OF TULSA, OKLAHOMA ENGINEERING SERVICES DEPARTMENT	
DRAWN BY: R.M.D.	APPROVED
CHECKED BY: <i>HAS</i>	<i>[Signature]</i>
DATE: AUGUST 2021	
NOT TO SCALE	STANDARD NO. 711