


SUBJECT TRACT

Z-7521

LEGEND

- Broken Arrow Corporate Limits
- Tulsa Corporate Limits



BOA-22921

32.1

19-14 22



**BOARD OF ADJUSTMENT
CASE REPORT**

STR: 9422

Case Number: **BOA-22921**

CZM: 50

CD: 6

HEARING DATE: 06/09/2020 1:00 PM

APPLICANT: Jose Socorro

ACTION REQUESTED: Special Exception to increase the maximum driveway width within the right-of-way. (Section 55.090-F.3)

LOCATION: 4003 S 148 AV E

ZONED: RS-3

PRESENT USE: Residential

TRACT SIZE: 7944.03 SQ FT

LEGAL DESCRIPTION: LOT 5 BLOCK 4, BATTLE CREEK PARK BLKS 1-4

RELEVANT PREVIOUS ACTIONS: None.

RELATIONSHIP TO THE COMPREHENSIVE PLAN: The Tulsa Comprehensive Plan identifies the subject property as part of a "New Neighborhood " and an "Area of Growth".

The purpose of **Areas of Growth** is to direct the allocation of resources and channel growth to where it will be beneficial and can best improve access to jobs, housing, and services with fewer and shorter auto trips. Areas of Growth are parts of the city where general agreement exists that development or redevelopment is beneficial. As steps are taken to plan for, and, in some cases, develop or redevelop these areas, ensuring that existing residents will not be displaced is a high priority. A major goal is to increase economic activity in the area to benefit existing residents and businesses, and where necessary, provide the stimulus to redevelop.

The New Neighborhood designation is intended for new communities developed on vacant land. These neighborhoods are comprised primarily of single- family homes on a range of lot sizes but can include townhouses and low-rise apartments or condominiums. These areas should be designed to meet high standards of internal and external connectivity and shall be paired with an existing or new Neighborhood or Town Center.

ANALYSIS OF SURROUNDING AREA: The subject tract is Located South of the SE/c of S. 148th E. Ave and E. 39th Pl.

STAFF COMMENTS: The applicant is requesting **Special Exception** to increase the maximum driveway width within the right-of-way. (Section 55.090-F.3)

32.2

55.090-F Surfacing

1. All off-street parking areas must be surfaced with a dustless, all-weather surface unless otherwise expressly stated in this zoning code. Pervious pavement or pervious pavement systems are allowed subject to the supplemental regulations of [Section 55.090-F.4](#). Parking area surfacing must be completed prior to initiation of the use to be served by the parking.
2. All motorized vehicles designed for travel upon public streets and that are being parked, stored or displayed for sale must be parked, stored or displayed on dustless, all-weather surface. This surfacing requirement does not apply to junk or salvage yards. The board of adjustment is authorized to grant a special exception permitting the storage or display of motorized vehicles on a surface other than one consisting of a dustless, all-weather surface if the location complies with all applicable minimum building setbacks.
3. In RE and RS zoning districts, driveways serving residential dwelling units may not exceed 50% of the lot frontage or the following maximum widths, whichever is less, unless a greater width is approved in accordance with the special exception procedures of [Section 70.120](#), or, if in a PUD, in accordance with the amendment procedures of [Section 30.010-1.2](#). (Refer to the City of Tulsa Standard Specifications and Details for Residential Driveways #701-704).

Maximum Driveway Width

Lot Frontage	75'+	60' - 74'	46' - 59'	30' - 45'	Less than 30' [2]
Driveway Within Right-of-Way (feet) [1]	27'	26'	22'	20'	12'
Driveway Within Street Setback (feet)	30'	30'	--	--	--

[1] Maximum width applies to the composite of all driveways if multiple curb cuts are provided.

[2] Provided that for lot frontages less than 24 feet, a driveway up to 12 feet in width is permitted.

The applicant is requesting to increase the width of their driveway curb cut to 28'. Per the zoning code they are limited to a 26' curb cut. The applicant would be required to get a right-of-way permit prior to construction.

SAMPLE MOTION:

Move to _____ (approve/deny) a **Special Exception** to increase the maximum driveway width within the right-of-way. (Section 55.090-F.3)

- Per the Conceptual Plan(s) shown on page(s) _____ of the agenda packet.
- Subject to the following conditions (including time limitation, if any):
_____.

The Board finds that the requested Special Exception will be in harmony with the spirit and intent of the Code and will not be injurious to the neighborhood or otherwise detrimental to the public welfare.



Facing South on S. 148th E. Ave.



Subject Property



Facing North

Jeff S. Taylor
Zoning Official
Plans Examiner III
TEL(918) 596-7637
jstaylor@cityoftulsa.org



DEVELOPMENT SERVICES
175 EAST 2nd STREET, SUITE 450
TULSA, OKLAHOMA 74103

ZONING CLEARANCE PLAN REVIEW

Jose Socorro
socorrojose2266@gmail.com

4/3/2020

APPLICATION NO: ZCO- 56221-2020
(PLEASE REFERENCE THIS NUMBER WHEN CONTACTING OUR OFFICE)
Project Location: 4003 S 148th Ave E
Description: Driveway Expansion

INFORMATION ABOUT SUBMITTING REVISIONS

OUR REVIEW HAS IDENTIFIED THE FOLLOWING CODE OMISSIONS OR DEFICIENCIES IN THE PROJECT APPLICATION FORMS, DRAWINGS, AND/OR SPECIFICATIONS. THE DOCUMENTS SHALL BE REVISED TO COMPLY WITH THE REFERENCED CODE SECTIONS.

REVISIONS NEED TO INCLUDE THE FOLLOWING:

1. A COPY OF THIS DEFICIENCY LETTER
2. A WRITTEN RESPONSE AS TO HOW EACH REVIEW COMMENT HAS BEEN RESOLVED
3. THE COMPLETED REVISED/ADDITIONAL PLANS FORM (SEE ATTACHED)
4. BOARD OF ADJUSTMENT APPROVAL DOCUMENTS, IF RELEVANT

REVISIONS SHALL BE SUBMITTED DIRECTLY TO THE CITY OF TULSA PERMIT CENTER LOCATED AT 175 EAST 2nd STREET, SUITE 450, TULSA, OKLAHOMA 74103, PHONE (918) 596-9601. THE CITY OF TULSA WILL ASSESS A RESUBMITTAL FEE. DO NOT SUBMIT REVISIONS TO THE PLANS EXAMINERS.

SUBMITTALS FAXED / EMAILED TO PLANS EXAMINERS WILL NOT BE ACCEPTED.

IMPORTANT INFORMATION

1. SUBMIT TWO (2) SETS [4 SETS IF HEALTH DEPARTMENT REVIEW IS REQUIRED] OF REVISED OR ADDITIONAL PLANS. REVISIONS SHALL BE IDENTIFIED WITH CLOUDS AND REVISION MARKS.
2. PURSUANT TO FEDERAL, STATE, AND LOCAL DECLARATIONS OF EMERGENCY ARISING FROM THE COVID-19 THREAT AND AS DIRECTED BY THE ADMINISTRATION, OUR OFFICE IS CLOSED TO THE PUBLIC UNTIL FURTHER NOTICE. PAPER SUBMITTALS (INCLUDING REVISIONS AND ADDENDUM) FOR ANY PROJECT IS NOT ACCEPTED AT THIS TIME. IF SUBMITTING REVISIONS FOR APPLICATIONS THAT PREVIOUSLY UTILIZED PAPER PLANS, EMAIL THE REVISED PLANS TO COTDESVCS@CITYOFTULSA.ORG OR SUBMIT ELECTRONIC PLAN REVISIONS ON THE PORTAL AT [HTTPS://TULSAOK.TYLERTECH.COM/ENERGOV4934/SELFERVICE](https://tulsaok.tylertech.com/energov4934/selfservice) . YOU WILL NEED TO REGISTER ON THE PORTAL IF YOU HAVE NOT PREVIOUSLY DONE SO.
3. INFORMATION ABOUT ZONING CODE, INDIAN NATION COUNCIL OF GOVERNMENT (INCOG), BOARD OF ADJUSTMENT (BOA), AND TULSA METROPOLITAN AREA PLANNING COMMISSION (TMAPC) IS AVAILABLE ONLINE AT WWW.INCOG.ORG OR AT INCOG OFFICES AT 2 W. 2nd ST., 8th FLOOR, TULSA, OK, 74103, PHONE (918) 584-7526.
4. A COPY OF A "RECORD SEARCH" [IS IS NOT INCLUDED WITH THIS LETTER. PLEASE PRESENT THE "RECORD SEARCH" ALONG WITH THIS LETTER TO INCOG STAFF AT TIME OF APPLYING FOR BOARD OF ADJUSTMENT ACTION AT INCOG. UPON APPROVAL BY THE BOARD OF ADJUSTMENT, INCOG STAFF WILL PROVIDE THE APPROVAL DOCUMENTS TO YOU FOR IMMEDIATE SUBMITTAL TO OUR OFFICE. (See revisions submittal procedure above.).

(continued)

REVIEW COMMENTS

SECTIONS REFERENCED BELOW ARE FROM THE CITY OF TULSA ZONING CODE TITLE 42 AND CAN BE VIEWED AT <http://tulsaplanning.org/plans/TulsaZoningCode.pdf>

Application No. ZCO- 56221-2020

Note: As provided for in Section 70.130 you may request the Board of Adjustment to grant a variance from the terms of the Zoning Code requirements identified in the letter of deficiency below. Please direct all questions concerning variances, special exceptions, appeals of an administrative official decision, Master Plan Developments Districts (MPD), Planned Unit Developments (PUD), Corridor (CO) zoned districts, zoning changes, platting, lot splits, lot combinations, alternative compliance landscape and screening plans and all questions regarding (BOA) or (TMAPC) application forms and fees to an INCOG representative at 584-7526. It is your responsibility to submit to our offices documentation of any appeal decisions by an authorized decision making body affecting the status of your application so we may continue to process your application. INCOG does not act as your legal or responsible agent in submitting documents to the City of Tulsa on your behalf. Staff review comments may sometimes identify compliance methods as provided in the Tulsa Zoning Code. The permit applicant is responsible for exploring all or any options available to address the noncompliance and submit the selected compliance option for review. Staff review makes neither representation nor recommendation as to any optimal method of code solution for the project.

55.090-F3 Surfacing. In RE and RS zoning districts, driveways serving residential dwelling units may not exceed the following maximum widths unless a greater width is approved in accordance with the special exception procedures of Section 70.120. Maximum Driveway Width in the Right Of Way (ROW) is 26' and 30' outside of ROW.

Review Comments: This lot has a width of 65'. The submitted site plan proposes a driveway width that exceeds the maximum allowable driveway width within the ROW. Revise plans to indicate the driveway shall not exceed 26' width in the ROW or apply to the BOA for a special exception to allow a driveway within the ROW to exceed 26' in width.


This letter of deficiencies covers Zoning plan review items only. You may receive additional letters from other disciplines such as Building or Water/Sewer/Drainage for items not addressed in this letter. A hard copy of this letter is available upon request by the applicant.

Please Notify Plans Examiner By Email When You Have Submitted A Revision. If you originally submit paper plans, revisions must be submitted as paper plans. If you submit online, revisions must be submitted online

END -ZONING CODE REVIEW

NOTE: THIS CONSTITUTES A PLAN REVIEW TO DATE IN RESPONSE TO THE SUBMITTED INFORMATION ASSOCIATED WITH THE ABOVE REFERENCED APPLICATION. ADDITIONAL ISSUES MAY DEVELOP WHEN THE REVIEW CONTINUES UPON RECEIPT OF ADDITIONAL INFORMATION REQUESTED IN THIS LETTER OR UPON ADDITIONAL SUBMITTAL FROM THE APPLICANT.

KEEP OUR OFFICE ADVISED OF ANY ACTION BY THE CITY OF TULSA BOARD OF ADJUSTMENT OR TULSA METROPOLITAN AREA PLANNING COMMISSION AFFECTING THE STATUS OF YOUR APPLICATION FOR A ZONING CLEARANCE PERMIT.





 Subject Tract

BOA-22921

Note: Graphic overlays may not precisely align with physical features on the ground.

19-14 22

Aerial Photo Date: February 2018


32.9




E 39 PLS

S 148 E AVE

S 148 E PL

E 40 PLS



BOA-22921

Note: Graphic overlays may not precisely align with physical features on the ground.

19-14 22

Aerial Photo Date: February 2018



**THIS PAGE
INTENTIONALLY
LEFT BLANK**